





Bombas de Engrenagens
Bombas de Engranes
Gear Pumps

EHL 13025




			TABELA DE SELEÇÃO								850 RPM	
			PRESSÃO MANOMÉTRICA (Kg/cm ²)									
MODELO	POTÊNCIA		Ø SUC./REC.	0	1	2	4	6	8			
	CV	KW		VAZÃO (Litros/mim)								
EHL- 13025	7,5	5,52	2 ^{1/2} "	500	499							
	10,0	7,36	2 ^{1/2} "	500	499	498						
	15,0	11,04	2 ^{1/2} "	500	499	498	496					
	20,0	15,00	2 ^{1/2} "	500	499	498	496	494				
	25,0	18,50	2 ^{1/2} "	500	499	498	496	494	492			



Bombas de Engrenagens
Bombas de Engranes
Gear Pumps


EHL 13030


			TABELA DE SELEÇÃO								850 RPM	
			PRESSÃO MANOMÉTRICA (Kg/cm ²)									
MODELO	POTÊNCIA		Ø SUC./REC.	0	1	2	4	6	8			
	CV	KW		VAZÃO (Litros/mim)								
EHL- 13030	10,0	5,52	3"	660	650							
	15,0	7,36	3"	660	650	645	640					
	20,0	15,00	3"	660	650	645	640	635				
	25,0	18,50	3"	660	650	645	640	635	630			




Bombas de Engrenagens
Bombas de Engranes
Gear Pumps

EHL 13040

			TABELA DE SELEÇÃO								850 RPM			
			PRESSÃO MANOMÉTRICA (Kg/cm ²)											
MODELO	POTÊNCIA		Ø SUC./REC.	VAZÃO (Litros/mim)										
	CV	KW		0	1	2	4	6	8					
EHL- 13040	15	11	4"	698	696									
	20	15	4"	698	696	694								
	25	18,5	4"	698	696	694	690							
	30	22	4"	698	696	694	690	686						
	40	30	4"	698	696	694	690	686	680					

			TABELA DE SELEÇÃO								1100 RPM			
			PRESSÃO MANOMÉTRICA (Kg/cm ²)											
MODELO	POTÊNCIA		Ø SUC./REC.	VAZÃO (Litros/mim)										
	CV	KW		0	1	2	4	6	8					
EHL- 13040	12,5	9,2	4"	995	992									
	15	11	4"	995	992	990								
	20	15	4"	995	992	990	990							
	25	18,5	4"	995	992	990	990	980						
	30	22	4"	995	992	990	990	980	875					



Bombas de Engrenagens
Bombas de Engranes
Gear Pumps

EHL 80030


			TABELA DE SELEÇÃO								850 RPM		
			PRESSÃO MANOMÉTRICA (Kg/cm ²)										
MODELO	POTÊNCIA		Ø SUC./REC.	0	10	20	40	60	80	100	120		
	CV	KW		VAZÃO (Litros/mim)									
EHL 80030	12,50	9,2	3"	351	348								
	15	11	3"	351	348	347							
	20	15,0	3"	351	348	347	345						
	25	18,5	3"	351	348	347	345	343					
	30	22	3"	351	348	347	345	343	340				
	40	30	3"	351	348	347	345	343	340	337			

			TABELA DE SELEÇÃO								1100 RPM		
			PRESSÃO MANOMÉTRICA (Kg/cm ²)										
MODELO	POTÊNCIA		Ø SUC./REC.	0	1	2	4	6	8				
	CV	KW		VAZÃO (Litros/mim)									
EHL 80030	7,5	5,5	3"	500									
	10	7,5	3"	500	499								
	12,5	9,2	3"	500	499	498							
	15	18,5	3"	500	499	498	493						
	20	22	3"	500	499	498	493	490					
	25	22	3"	500	499	498	493	490	486				

Com viscosidade acima de 800 ssu os valores se alteram.